

NAPOMENE

Uvodno poglavlje

1. Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono,C., . . . Gakidou, E. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980–2013:A systematic analysis for the global burden of disease study 2013. *The Lancet*, 384(9945), 766–781.
2. Marketdata Enterprises Inc. (2012, January 10). Number of AmericanDieters Soars to 108 Million. [Press Release]. Preuzeto sa: <http://www.marketdataenterprises.com/wp-content/uploads/2014/01/Diet%20Market%202012%20Forecasts.pdf>.
3. 72 razvijene zemlje dostigle su Milenijumski cilj razvoja do 2015. i prepolovile ideo gladnih ljudi u populaciji. (2015). Rim: Organizacija za poljoprivredu i hranu Ujedinjenih nacija (FAO). PremaFAO, oko 12,9% populacija zemalja u razvoju je neuhranjeno (<http://www.fao.org/hunger/key-messages/en/>). Prema gore pomenutom članku iz časopisa *Lanset*, oko 32% populacije zemalja u razvoju je ili gojazno ili prekomerno gojazno.
4. Međunarodna federacija za dijabetes. (2015). *IDF DIABETES ATLAS*, (7. izdanje, str. 79). Preuzeto sa: http://www.indiaenvironmentportal.org.in/_les/_le/IDF_Atlas%202015_UK.pdf.
5. Al Humaid, N. (January 2015). Saudi Soft Drinks Market Continues toFizz. Farrelly & Mitchell Food and AgriBusiness Specialists. *Insights*. [Pamflet]. Preuzeto sa: <http://farrellymitchell.com/wp-content/uploads/2015/01/Insights-January-2015-.pdf>.
6. Bloom,D.E.,Ca_ero,E.T.,Jané-Llopis,E.,Abrahams-Gessel, S., Bloom,L. R., Fathima, . . . Weinstein, C. (2011). The Global Economic Burdenof Non-communicable Diseases. Ženeva: Svetski ekonomski forum, 5. Preuzeto sa:http://www3.weforum.org/docs/WEF_Harvard_HE_GlobalEconomicBurdenNonCommunicableDiseases_2011.pdf.
7. Bloom, D. E., Ca_ero, E. T., Jané-Llopis, E., Abrahams-Gessel, S., Bloom, L. R., Fathima, . . . Weinstein, C. (2011). The Global

- Economic Burden of Noncommunicable Diseases. Ženeva: Svetski ekonomski forum, 6. Preuzeto sa: http://www3.weforum.org/docs/WEF_Harvard_HE_GlobalEconomicBurdenNonCommunicableDiseases_2011.pdf.
8. Fildes, A., Charlton, J., Rudisill, C., Littlejohns, P., Prevost, A., & Gulliford, M. (2015). Probability of an obese person attaining normal body weight: Cohort study using electronic health records. *American Journal of Public Health*, 105(9), e54–e59. doi: 10.2105/AJPH.2015.302773.
 9. Marketdata Enterprises Inc. (2011, May 5). Diet Market Worth \$60.9 Billion in U.S. Last Year, but Growth Is Flat, Due to the Recession. [Saopštenje za javnost]. Preuzeto sa: <http://www.marketdataenterprises.com/wpcontent/uploads/2014/01/DietMarket2011PR.pdf>.
 10. Rand, C. S., & Macgregor, A. M. (1991). Successful weight loss following obesity surgery and the perceived liability of morbid obesity. *International Journal of Obesity*, 15(9), 577.

Prvo poglavlje

1. Casey, B. J., Somerville, L. H., Gotlib, I. H., Ayduk, O., Franklin, N. T., Askren, M. K., . . . Shoda, Y. (2011). Behavioral and neural correlates of delay of gratification 40 years later. *Proceedings of the National Academy of Sciences of the United States of America*, 108(36), 14998–15003. doi:10.1073/pnas.1108561108.
2. Tierney, J. (2011, August 17). Do You Suffer From Decision Fatigue?, *The New York Times Magazine*. Preuzeto sa: <http://www.nytimes.com/2011/08/21/magazine/do-you-suffer-from-decision-fatigue.html>
3. Baumeister, R. F., Bratslavsky, E., Muraven, M., & Tice, D. M. (1998). Ego depletion: Is the active self a limited resource? *Journal of Personality and Social Psychology*, 74(5), 1252–1265. doi: 10.1037/0022-3514.74.5.1252.
4. Vohs, K. D., Baumeister, R. F., Schmeichel, B. J., Twenge, J. M., Nelson, N. M., & Tice, D. M. (2008). Making choices impairs subsequent self-control: A limited resource account of

- decision making, self-regulation, and active initiative. *Journal of Personality and Social Psychology*, 94(5), 883–898. doi: 10.1037/0022-3514.94.5.883.
5. Danziger, S., Levav, J., Avnaim-Pesso, L., & Kahneman, D. (2011). Extraneous factors in judicial decisions. *Proceedings of the National Academy of Sciences of the United States of America*, 108(17), 6889–6892. doi: 10.1073/pnas.1018033108.
 6. Gailliot, M. T., Baumeister, R. F., DeWall, C. N., Maner, J. K., Plant, E. A., Tice, D. M., . . . Schmeichel, B. J. (2007). Self-control relies on glucose as a limited energy source: Willpower is more than a metaphor. *Journal of Personality and Social Psychology*, 92(2), 325–336. doi: 10.1037/0022-3514.92.2.325.
 7. Hofmann, W., Baumeister, R. F., Förster, G., & Vohs, K. D. (2012;2011). Everyday temptations: An experience sampling study of desire, conflict, and self-control. *Journal of Personality and Social Psychology*, 102(6), 1318. doi: 10.1037/a0026545.
 8. Baumeister, R. F. (2014). Self-regulation, ego depletion, and inhibition. *Neuropsychologia*, 65, 313–319. doi: 10.1016/j.neuropsychologia.2014.08.0.
 9. Gailliot, M. T., & Baumeister, R. F. (2007). The physiology of willpower: Linking blood glucose to self-control. *Personality and Social Psychology Review*, 11(4), 303–327. doi: 10.1177/1088868307303030.
 10. McCullough, M. E., & Willoughby, B. L. B. (2009). Religion, self-regulation, and self-control: Associations, explanations, and implications. *Psychological Bulletin*, 135(1), 69–93. doi: 10.1037/a0014213.
 11. Luders, E., Toga, A. W., Lepore, N., & Gaser, C. (2009). The underlying anatomical correlates of long-term meditation: Larger hippocampal and frontal volumes of gray matter. *Neuroimage*, 45(3), 672–678. doi: 10.1016/j.neuroimage.2008.12.061.
 12. McKellar, J., Stewart, E., & Humphreys, K. (2003). Alcoholics anonymous involvement and positive alcohol-related outcomes: Cause, consequence, or just a co-relate? A prospective

- 2-year study of 2,319 alcohol-dependent men. *Journal of Consulting and Clinical Psychology*, 71(2), 302–308. doi: 10.1037/0022006X.71.2.302.
13. Greer, S., Goldstein, A., & Walker, M. (2013). The impact of sleep deprivation on food desire in the human brain. *Nature Communications*, 4, 2259. doi: 10.1038/ncomms3259.
 14. DeSteno, D., Li, Y., Dickens, L., & Lerner, J. S. (2014). Gratitude: A tool for reducing economic impatience. *Psychological Science*, 25(6), 1262–1267. doi: 10.1177/0956797614529979.
 15. Wansink, B., & Sobal, J. (2007). Mindless eating: The 200 daily food decisions we overlook. *Environment and Behavior*, 39(1), 106–123. doi: 10.1177/00139165062 95573.

Drugo poglavlje

1. Dulloo, A. G., & Jacquet, J. (1998). Adaptive reduction in basal metabolic rate in response to food deprivation in humans: A role for feedback signals from fat stores. *The American Journal of Clinical Nutrition*, 68(3), 599.
2. Speakman, J. R., & Westerterp, K. R. (2013). A mathematical model of weight loss under total starvation: Evidence against the thriftygene hypothesis. *Disease Models & Mechanisms*, 6(1), 236–251. doi: 10.1242/dmm.010009.
3. Rosenkilde, M., Auerbach, P., Reichkendler, M. H., Ploug, T., Stallknecht, B. M., & Sjödin, A. (2012). Body fat loss and compensatory mechanisms in response to different doses of aerobic exercise—a randomized controlled trial in overweight sedentary males. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 303(6), 571–579. doi: 10.1152/ajpregu.00141.2012.
4. An fMRI shows differences between lean and obese after eating. Puzziferri, N., Zigman, J. M., Thomas, B. P., Mihalakos, P., Gallagher, R., Lutter, M., . . . Tamminga, C. A. (2016). Brain imaging demonstrates a reduced neural impact of eating in obesity. *Obesity*, 24(4), 829–836. doi: 10.1002/oby.21424.

5. Satter, E. M. (2005), *Your Child's Weight: Helping Without Harming*, Madison, WI: Kelsey Press.
6. Wansink, B., Painter, J., & North, J. (2005). Bottomless bowls: Why visual cues of portion size may influence intake. *Obesity Research*, 13(1), 93-100. doi: 10.1038/oby.2005.12.
7. Lisle, D. J., & Goldhamer, A. (2003), *The Pleasure Trap*. Summertown, TN: Healthy Living Publications.
8. Malaisse, W. J., Vanonderbergen, A., Louchami, K., Jijakli, H., & Malaisse-Lagae, F. (1998). Effects of artificial sweeteners on insulin release and cationic fluxes in rat pancreatic islets. *Cellular Signalling*, 10(10), 727-733. doi: 10.1016/S0898-6568(98)00017-5.
9. Malaisse, W. J., Vanonderbergen, A., Louchami, K., Jijakli, H., & Malaisse-Lagae, F. (2011). Intake of highintensity sweeteners alters the ability of sweet taste to signal caloric consequences: Implications for the learned control of energy and body weight regulation. *The Quarterly Journal of Experimental Psychology*, 64(7), 1430 – 1441. doi: 10.1080/17470218.2011.552729.
10. Ingalls, A. M., Dickie, M. M., & Snell, G. D. (1996). Obese, a newmutation in the house mouse. *Obesity Research*, 4(1), 101–101. doi:10.1002/j.1550-8528.1996. tb00519.x.
11. Zhang, Y., Proenca, R., Maffei, M., Barone, M., Leopold, L., & Friedman, J. M. (December 1994). Positional cloning of the mouse obese gene and its human homologue. *Nature*, 372(6505), 425–432. doi: 10.1038/37 2425a0.
12. Stavro, B. (1995, September 5). With fat-loss drug, Amgen takes on a weighty challenge: Pharmaceuticals: Biotech firm faces much risk and expense in getting the medication from the laboratory to the marketplace. *Los Angeles Times*. Preuzeto sa: http://articles.latimes.com/1995-09-05/business/_-42478_1_fat-drug.
13. Münzberg, H., & Myers, M. G. (2005). Molecular and anatomical determinants of central leptin resistance. *Nature Neuroscience*, 8(5), 566–570. doi: 10.1038/nn1454.
14. Lustig, R. H. (2006). Childhood obesity: Behavioral aberration or biochemical drive? Reinterpreting the first law of

- thermodynamics. *Nature Clinical Practice Endocrinology & Metabolism*, 2(8), 447–458. doi: 10.1038/ncpendmet0220.
15. Pinhas-Hamiel, O., Lerner-Geva, L., Copperman, N., & Jacobson, M. (2007). Lipid and insulin levels in obese children: Changes with age and puberty. *Obesity*, 15, 2825–2831. doi: 10.1038/oby.2007.335.
 16. Grill, H., Schwartz, M., Kaplan, J., Foxhall, J., Breininger, J., & Baskin, D. (2002). Evidence that the caudal brainstem is a target for the inhibitory effect of leptin on food intake. *Endocrinology*, 143(1), 239–246. doi: 10.1210/en.143.1.239.

Treće poglavlje

1. Ng, S., Slining, M., & Popkin, B. (2012). Use of caloric and noncaloric sweeteners in US consumer packaged foods, 2005–2009. *Journal of the Academy of Nutrition and Dietetics*, 112(11), 1828–1834. doi: 10.1016/j.jand.2012.07.009.
2. Hanna, J. M., & Hornick, C. A. (1977). Use of coca leaf in southern Peru: Adaptation or addiction. *Bulletin on Narcotics*, 29(1), 63.
3. Verebey, K., & Gold, M. S. (1988). From coca leaves to crack: The effects of dose and routes of administration in abuse liability. *Psychiatric Annals*, 18, 513–520. doi: 10.3928/0048-5713-19880901-06.
4. Kenny, P. J., & Johnson, P. M. (2010). Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats. *Nature Neuroscience*, 13(5), 635–641. doi: 10.1038/nn.2519.
5. Lenoir, M., Serre, F., Cantin, L., & Ahmed, S. (2007). Intense sweetness surpasses cocaine reward. *PLOS One*, 2(8), e698. doi:10.1371/journal.pone.0000698.
6. Hyman, M. (2014). *The Blood Sugar Solution 10-Day Detox Diet*. New York: Little, Brown and Company, 29.
7. Treba napomenuti da postoji varijabilnost kod adaptacije pacova na elektrošokove. Zbog toga može biti potrebno grupisati zamoričiće kao osetljive ili otporne na te šokove. Na primer, videti Chen, B. T., Yau, H-J, Hatch, C., Kusumoto-Yoshida, I., Cho, S.

- L., Hopf, F. W., & Bonci, A. (2013). Rescuing cocaine-induced prefrontal cortex hypoactivity prevents compulsive cocaine seeking. *Nature*, 496, 359. doi: 10.1038/nature12024.
8. Kenny, P. J., & Johnson, P. M. (2010). Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats. *Nature Neuroscience*, 13(5), 635–641. doi: 10.1038/nn.2519.
9. Kessler, D. A. (2009). *The End of Overeating: Taking Control of the Insatiable American Appetite*. New York: Rodale; Moss, M. (2014). *SaltSugar Fat: How the Food Giants Hooked Us*. New York: Random House.
10. Bolhuis, D., Costanzo, A., Newman, L., & Keast, R. (2016). Salt promotes passive overconsumption of dietary fat in humans. *Journal of Nutrition*, 146(4), 838-845. doi:10.3945/jn.115.226365.
11. Stice, E., Burger, K., & Yokum, S. (2013). Relative ability of fat and sugar tastes to activate reward, gustatory, and somatosensory regions. *The American Journal of Clinical Nutrition*, 98(6), 1377–1384. doi: 10.3945/ajcn.113.069443.
12. Schulte, E., Avena, N., & Gearhardt, A. (2015). Which foods may be addictive? The roles of processing, fat content, and glycemic load: E0117959. *PLOS One*, 10(2). doi: 10.1371/journal.pone.0117959.
13. Lustig, R. (2012, May 8). The Skinny on Obesity (ep. 4): Sugar—A Sweet Addiction. Retrieved from <http://www.uctv.tv/shows/The-Skinny-on-Obesity-Ep4-Sugar-A-Sweet-Addiction-23717>
14. Stewart, J. E., Feinle-Bisset, C., Golding, M., Delahunty, C., Clifton, P. M., & Keast, R. S. J. (2010). Oral sensitivity to fatty acids, food consumption and BMI in human subjects. *British Journal of Nutrition*, 104(1), 145–152. doi: 10.1017/S0007114510000267.
15. Espel, E. (2012, May 8). The Skinny on Obesity (ep. 4): Sugar—A Sweet Addiction. Retrieved from <http://www.uctv.tv/shows/The-Skinny-on-Obesity-Ep4-Sugar-A-Sweet-Addiction-23717>; Stice, E., Spoor, S., Bohon, C., Veldhuizen, M. G., & Small, D. M. (2008). Relation of reward from food intake and anticipated food intake to obesity: A functional magnetic resonance imaging study. *Journal of Abnormal Psychology*, 117(4), 924–935. doi: 10.1037/a0013600.

Četvrto poglavlje

1. Khokhar, J.Y., Ferguson, C.S., Zhu, A.Z.X., & Tyndale, F. (2010). Pharmacogenetics of drug dependence: Role of gene variations in susceptibility and treatment. *Annual Review of Pharmacology and Toxicology*, 50(1), 39–61. doi:10.1146/annurev.pharmtox.010909.105826
2. Hausenblas, H. (2015, November 25). Does the holiday season equal weight gain? *US News & World Report*. Preuzeto sa: <http://health.usnews.com/health-news/blogs/eat-run/2015/11/25/does-the-holiday-season-equalweight-gain>.
3. Pursey, K., Stanwell, P., Gearhardt, A., Collins, C., & Burrows, T. (2014). The prevalence of food addiction as assessed by the Yale Food Addiction Scale: A systematic review. *Nutrients*, 6(10), 4552–4590. doi:10.3390/nu6104552.
4. Flagel, S. B., Robinson, T. E., Clark, J. J., Clinton, M., Watson, S. J., Seeman, P. ... Akil, H. (2010). An animal model of genetic vulnerability to behavioral disinhibition and responsiveness to reward-related cues: Implications for addiction. *Neuropsychopharmacology*, 35(2), 388–400. doi: 10.1038/npp.2009.142.
5. Flagel, S. B., Watson, S. J., Robinson, T. E., & Akil, H. (2007). Individual differences in the propensity to approach signals vs goals promote different adaptations in the dopamine system of rats. *Psychopharmacology*, 191(3), 599–607. doi:10.1007/s00213-006-0535-8.
6. Flagel, S. B., Robinson, T. E., Clark, J. J., Clinton, S. M., Watson, S. J., Seeman, P. ... Akil, H. (2010). An animal model of genetic vulnerability to behavioral disinhibition and responsiveness to reward-related cues: Implications for addiction. *Neuropsychopharmacology*, 35(2), 388-400. doi: 10.1038/npp.2009.142.
7. Lomanowska, A. M., Lovic, V., Rankine, M. J., Mooney, S. J., Robinson, T. E., & Kraemer, G. W. (2011). Inadequate early social experience increases the incentive salience of reward-related cues in adulthood. *Behavioural Brain Research*, 220, 91–99. doi: 10.1016/j.bbr.2011.01.033.

8. Anselme, P., Robinson, M., & Berridge, K. (2013). Reward uncertainty enhances incentive salience attribution as sign-tracking. *Behavioural Brain Research*, 238, 53–61. doi: 10.1016/j.bbr.2012.10.006.

Peto poglavlje

1. Gazzaniga, M. S. (1967). The split brain in man. *Scientific American*, 217(2), 24–29. doi: 10.1038/scienti_camerican0867-24.
2. Gazzaniga, M. S. (2011). *Who's in charge?: Free will and the science of the brain* (1st ed.). New York: HarperCollins, 82.
3. Gazzaniga, M. S., & LeDoux, J. E. (1978). *The integrated mind*. New York: Plenum Press.
4. Bem, D. J. (1972). Self-perception theory. *Advances in Experimental Social Psychology*, 6, 2–62.

Šesto poglavlje

1. Li, Y., Burrows, N., Gregg, E., Albright, A., & Geiss, L. (2012). Declining rates of hospitalization for nontraumatic lower-extremity amputation in the diabetic population aged 40 years or older: U.S., 1988– 2008. *Diabetes Care*, 35(2), 273–277. doi: 10.2337/dc11-1360; <http://www.diabetes.org/diabetes-basics/statistics/>
2. Baumeister, R. F. & Toerney, J. (2011). *Willpower: Rediscovering the greatest human strength*. New York: Penguin Group.
3. Mada veštački zasladičivači stimulišu receptore za ukus, takođe utiču i na mozak. Aspartam, na primer, može smanjiti proizvodnju dopamina. Humphries, P., Pretorius, E. & Naudé, H. (2008). Oba su neposredni i posredni čelijski efekti aspartama na mozak. *European Journal of Clinical Nutrition*, 62(4), 451–462. doi: 10.1038/sj.ejcn.1602866). Manjak hranljive nagrade kada se okusi saharin nakon uslovljavanja za posledicu imaju smanjene skokove dopamina. Mark, G. P., Blander, D. S., & Hoebel, B. G. (1991). Uslovjen nadražaj smanjuje ekstra čelijski dopamin u nukleus akumbensu nakon stvaranja stečene averzije prema ukusu. *Brain Research*, 551(1), 308– 310. doi: 10.1016/0006-8993(91)90946-S).

Kao i veštački zaslađivači, stevija nije hranljiva i može izazvati dugoročno snižene nivoe dopamina.

4. Suez, J., Korem, T., Zeevi, D., Zilberman-Schapira, G., Thaiss, C., Maza, O., . . . Elinav, (2014). Artificial sweeteners induce glucoseintolerance by altering the gut microbiota. *Nature*, 514(7521), 181.doi:10.1038/nature13 793.
5. Wang, Q-P. et al. (2016) Sucratose promotes food intake through NPYand a neuronal fasting response. *Cell Metabolism*, 24(1), 75–90.
6. Juntunen, K., Niskanen, L., Liukkonen, K., Poittanen, K., Holst, J., & Mykkanen, H. (2002). Postprandial glucose, insulin, and incretin responses to grain products in healthy subjects. *The American Journal of Clinical Nutrition*, 75(2), 254.
7. Schulte, E., Avena, N., & Gearhardt, A. (2015). Which foods may be addictive? The roles of processing, fat content, and glycemic load: E0117959. *PLOS One*, 10(2) doi: 10.1371/journal.pone.0117959.
8. Reid, K., Baron, K., & Zee, P. (2014). Meal timing influences daily caloric intake in healthy adults. *Nutrition Research*, 34(11), 930-935. doi:10.1016/j.nutres.2014. 09.010.
9. Gill, S., & Panda, S. (2015). A smartphone app reveals erratic diurnal eating patterns in humans that can be modulated for health benefits. *Cell Metabolism*, 22(5), 789-798. doi:10.1016/j.cmet.2015.09.005.
10. Alirezaei, M., Kemball, C. C., Flynn, C. T., Wood, M. R., Whitton, J. L., & Kiesses, W. B. (2010). Short-term fasting induces profound neuronal autophagy. *Autophagy*, 6(6), 702–710. doi: 10.4161/auto.6.6.12376
11. Marinac, C. R., Nelson, S. H., Breen, C. I., Hartman, S. J., Natarajan, L., Pierce, J. P., . . . Patterson, R. E. (2016). Prolonged nightly fasting and breast cancer prognosis. *JAMA Oncology*, 2(8), 1049.
12. Parks, E., & McCrory, M. (2005). When to eat and how often? *American Journal of Clinical Nutrition*, 81(1), 3-4.

13. Kahleova, H., Belinova, L., Malinska, H., Oliyarnyk, O., Trnovska, J., Skop, V., . . . Pelikanova, T. (2014). Eating two larger meals a day (breakfast and lunch) is more effective than six smaller meals in a reduced-energy regimen for patients with type 2 diabetes: A randomised crossover study. *Diabetologia*, 57(8), 1552–1560. doi: 10.1007/s00125-014-3253-5.

Sedmo poglavlje

1. Lally, P., Van Jaarsveld, C., Potts, H., & Wardle, J. (2010). How are habits formed: Modelling habit formation in the real world. *European Journal of Social Psychology*, 40(6), 998–1009. doi: 10.1002/ejsp.674.
2. Pilcher, J., Morris, D., Donnelly, J., & Feigl, H. (2015). Interactions between sleep habits and self-control. *Frontiers in Human Neuroscience*, 9, 284. doi: 10.3389/fnhum.2015.00284.
3. Erickson, K. I., Voss, M. W., Prakash, R. S., Basak, C., Szabo, A., Chaddock, L., . . . Gage, F. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences of the United States of America*, 108(7), 3017–3022. <http://doi.org/10.1073/pnas.1015950108>.
4. Erickson, K., Weinstein, A., & Lopez, O. (2012). Physical activity, brain plasticity, and Alzheimer's disease. *Archives of Medical Research*, 43(8), 615–621. doi: 10.1016/j.arcmed.2012.09.008.
5. Walsh, N., Gleeson, M., Pyne, D., Nieman, D., Dhabhar, F., Shephard, R., . . . Kajeniene, A. (2011). Position statement. Part two: Maintaining immune health. *Exercise Immunology Review*, 17, 64.
6. Kemmler, W., Lauber, D., Weineck, J., Hensen, J., Kalender, W., & Engelke, K. (2004). Benefits of 2 years of intense exercise on bone density, physical fitness, and blood lipids in early postmenopausal osteopenic women. *Archives of Internal Medicine*, 164(10), 1084.
7. Elavsky, S. (2010). Longitudinal examination of the exercise and self-esteem model in middle-aged women. *Journal of Sport & Exercise Psychology*, 32(6), 862–880.

8. Penhollow, T. M. & Young, M. (2004). Sexual desirability and sexual performance: Does exercise and fitness really matter? *Electronic Journal of Human Sexuality*, 7. http://www.ejhs.org/volume7/_tness.html.
9. Mikus, C. R., Blair, S. N., Earnest, C. P., Martin, C. K., Thompson, A. M., & Church, T. S. (2009). Changes in weight, waist circumference and compensatory responses with different doses of exercise among sedentary, overweight postmenopausal women. *PLOS One*, 4(2), e4515. doi: 10.1371/journal.pone.0004515.
10. Fothergill, E., Guo, J., Howard, L., Kerns, J. C., Knuth, N. D., Brychta, R., . . . Hall, K. D. (2016). Persistent metabolic adaptation 6 years after “The biggest loser” competition. *Obesity*, 24(8), 1612–1619. doi: 10.1002/oby.21538.
11. Larson-Meyer, D., Redman, L., Heilbronn, L., Martin, C., & Ravussin, E. (2010). Caloric restriction with or without exercise: The fitness versus fatness debate. *Medicine and Science in Sports and Exercise*, 42(1), 152.

Osmo poglavlje

1. Greene, A. (2011, July 18). 7 things you didn't know about your taste buds. *Woman's Day*. Preuzeto sa: <http://www.womansday.com/health-fitness/wellness/a5789/7things-you-didnt-know-about-your-taste-buds-119709/>.
2. Badman, M. K., & Flier, J. S. (2005). The gut and energy balance: Visceral allies in the obesity wars. *Science*, 307(5717), 1909–1914. doi: 10.1126/science.110995.
3. Primena plana Pravilne linije ishrane za mršavljenje obično dovodi do gubitka 1,1 do 1,3 kilograma nedeljno. Ta stopa smatra se poželjnom. Blackburn, G. (1995). Effect of degree of weight loss on health benefits. *Obesity Research*, 3, 211S-216S. U vezi sa procentom 10% videti: National Institutes of Health (U.S.), NHLBI Obesity Education Initiative, North American Association for the Study of Obesity, & National Heart, Lung, and Blood Institute. (2000). *The practical guide: Identification, evaluation, and treatment of overweight and obesity in adults*. Bethesda, MD.:

- National Institutes of Health, National Heart, Lung, and Blood Institute, NHLBI Obesity Education Initiative, North American Association for the Study of Obesity.
4. Voelker, R. (2015). Partially hydrogenated oils are out. *JAMA*, 314(5), 443.
 5. Primer odsustva konsenzusa može se naći u studiji:
Schwingshackl, L., & Hoffmann, G. (2013). Comparison of effects of long-term low-fat vs high-fat diets on blood lipid levels in overweight or obese patients: A systematic review and meta-analysis. *Journal of the Academy of Nutrition and Dietetics*, 113(12), 1640–1661. doi: 10.1016/j.jand.2013.07.010.
 6. Reynolds, R. M., Pad_eld, P. L., & Seckl, J. R. (2006). Disorders of sodium balance. *BMJ: British Medical Journal*, 332(7543), 702–705. doi: 10.1136/bmj.332.7543.702.
 7. Campbell, T. C., Campbell, T. M., (2006). *The China study: The most comprehensive study of nutrition ever conducted and the startling implications for diet, weight loss, and long-term health.* (1st BenBella Books ed.) Dallas, TX: BenBella Books.
 8. Svetski fond za istraživanje raka/Američki institut za istraživanje raka. (2007). *Food, nutrition, physical activity, and the prevention of cancer: A global perspective.* Vašington, DC: AICR, 117.

Deveto poglavlje

1. Hwang, K. O., Ottenbacher, A. J., Green, A. P., Cannon-Diehl, M. R., Richardson, O., Bernstam, E. V., & Thomas, E. J. (2010). Social support in an internet weight loss community. *International Journal of Medical Informatics*, 79(1), 5–13. doi: 10.1016/j.ijmedinf.2009.10.003.
2. Nacionalni registar za kontrolu težine, pregledan
3. marta 2016. <http://www.nwcr.ws/>
4. Kreitzman, S. N., Coxon, A. Y., & Szaz, K. F. (1992). Glycogen storage: Illusions of easy weight loss, excessive weight regain, and distortions in estimates of body composition. *The American Journal of Clinical Nutrition*, 56(1 Suppl.), 292S.

5. Pacanowski, C. R., & Levitsky, D. A. (2015). Frequent self-weighing and visual feedback for weight loss in overweight adults. *Journal of Obesity*, 2015, 1–9. doi: 10.1155/2015/763680.

Deseto poglavje

1. Za reference u vezi sa snagom molitve i meditacijom zarad obnavljanja snage volje videti: McCullough, M. E., & Willoughby, B. L. B. (2009). Religion, self-regulation, and self-control: Associations, explanations, and implications. *Psychological Bulletin*, 135(1), 69–93. doi: 10.1037/a0014213; and Baumeister, R. F., & Tierney, J. (2011). *Willpower: Rediscovering the greatest human strength*. New York: Penguin Group, 180.
2. Luders, E., Cherbuin, N., & Kurth, F. (2015). Forever young(er): Potential age-defying effects of long-term meditation on gray matter atrophy. *Frontiers in Psychology*, 5:1551. doi: 10.3389/fpsyg.2014.01551.
3. Brewer, J. A., Worhunsky, P. D., Gray, J. R., Tang, Y., Weber, J., & Kober, H. (2011). Meditation experience is associated with differences in default mode network activity and connectivity. *Proceedings of the National Academy of Sciences of the United States of America*, 108(50), 20254–20259. <http://doi.org/10.1073/pnas.1112029108>.
4. Goyal, M., Singh, S., Sibinga, E. M. S., Gould, N. F., Rowland-Seymour, A., Sharma, R., . . . Haythornthwaite, J. A. (2014). Meditation programs for psychological stress and well-being: A systematic review and meta-analysis. *JAMA Internal Medicine*, 174(3), 357–368. doi: 10.1001/jamainternmed.2013.13018.
5. Mrazek, M. D., Franklin, M. S., Phillips, D. T., Baird, B., & Schooler, J. W. (2013). Mindfulness training improves working memory capacity and GRE performance while reducing mind wandering. *Psychological Science*, 24(5), 776–781.
6. Tang, Y., Tang, R., & Posner, M. I. (2013). Brief meditation training induces smoking reduction. *Proceedings of the National Academy of Sciences of the United States of America*, 110(34), 13971–13975. doi: 10.1073/pnas.1311 887110.

7. Barnes, V. A., Davis, H. C., Murzynowski, J. B., & Treiber, F. A. (2004). Impact of meditation on resting and ambulatory blood pressure and heart rate in youth. *Psychosomatic Medicine*, 66(6), 909–914. doi: 10.1097/01.psy.0000145902.91749.35.
8. Schienker, B. R., Dlugolecki, D. W., & Doherty, K. (1994). The impact of self-presentations on self-appraisals and behavior: The power of public commitment. *Personality and Social Psychology Bulletin*, 20(1), 20–33. doi: 10.1177/0146167294201002.
9. Nyer, P. U., & Dellande, S. (2010). Public commitment as a motivator for weight loss. *Psychology and Marketing*, 27(1), 1–12. doi: 10.1002/mar.20316.
10. Seligman, M. (2011). Find three good things each day.
Preuzeto sa: <http://www.actionforhappiness.org/take-action/find-three-good-things-each-day>
11. Kazdin, A. E. (1974). Reactive self-monitoring: The effects of response desirability, goal setting, and feedback. *Journal of Consulting and Clinical Psychology*, 42(5), 704–716. doi: 10.1037/h0037050.
12. Baumeister, R. F., DeWall, C. N., Ciarocco, N. J., & Twenge, J. M. (2005). Social exclusion impairs self-regulation. *Journal of Personality and Social Psychology*, 88(4), 589–604. doi: 10.1037/0022-3514.88.4.589.
13. McCullough, M. E., & Willoughby, B. L. B. (2009). Religion, self-regulation, and self-control: Associations, explanations, and implications. *Psychological Bulletin*, 135(1), 69–93. doi: 10.1037/a0014213.
14. McGonigal, K. (2012). *The willpower instinct: How self-control works, why it matters, and what you can do to get more of it*. New York: Penguin Group, 25.
15. DeSteno, D., Li, Y., Dickens, L., & Lerner, J. S. (2014). Gratitude: A tool for reducing economic impatience. *Psychological Science*, 25(6), 1262–1267. doi: 10.1177/0956797614529979.
16. Gray, K. (2010). Moral transformation: Good and evil turn the weak into the mighty. *Social Psychological and Personality Science*, 1(3), 253–258. doi: 10.1177/1948550610367686.

17. Hill, N. (1937). *Think and grow rich*. Meriden, CT: The Ralston Society.

Jedanaesto poglavlje

1. Međunarodno istraživačko veće (SAD). Komitet za nacionalno praćenje ljudskih tkiva. (1991). *Monitoring human tissues for toxic substances*. Washington, DC: National Academy Press, 64.
2. Lim, J., Son, H., Park, S., Jacobs, D., & Lee, D. (2011). Inverse associations between long-term weight change and serum concentrations of persistent organic pollutants. *International Journal of Obesity*, 35(5), 744–747. doi: 10.1038/ijo.2010.188.
3. Dulloo, A. G., & Jacquet, J. (1998). Adaptive reduction in basal metabolic rate in response to food deprivation in humans: A role for feedback signals from fat stores. *The American Journal of Clinical Nutrition*, 68(3), 599.
4. Sumithran, P., Prendergast, L. A., Delbridge, E., Purcell, K., Shulkes, A., Kriketos, A., & Proietto, J. (2011). Long-term persistence of hormonal adaptations to weight loss. *The New England Journal of Medicine*, 365(17), 1597–1604. doi: 10.1056/NEJMoa1105816.
5. Satter, E. (2007). Eating competence: Definition and evidence for the Satter eating competence model. *Journal of Nutrition Education and Behavior*, 39(5), S142–S153. doi: 10.1016/j.jneb.2007.01.006.
6. Kenny, P. J., & Johnson, P. M. (2010). Dopamine D2 receptors in addiction-like reward dysfunction and compulsive eating in obese rats. *Nature Neuroscience*, 13(5), 635–641. doi: 10.1038/nn.2519.
7. Satter, E., (2008). *Secrets of feeding a healthy family: How to eat, how to raise good eaters, how to cook*. Madison, WI: Kelcy Press, 82.
8. Camilleri, M., Colemont, L., Phillips, S., Brown, M., Thomforde, G., Chapman, N., & Zinsmeister, A. (1989). Human gastric emptying and colonic filling of solids characterized by a new method. *The American Journal of Physiology*, 257(2, Pt. 1), G284.

Dvanaesto poglavlje

1. Wing, R. R., & Phelan, S. (2005). Long-term weight loss maintenance. *The American Journal of Clinical Nutrition*, 82(1 Suppl.), 222S.

Trinaesto poglavlje

1. Herman, C. P., & Mack, D. (1975). Restrained and unrestrained eating. *Journal of Personality*, 43(4), 647.

Četrnaesto poglavlje

1. Postoji mnoštvo formula „idealne težine“ i možete ih naći na internetu. Jednu od najranijih ponudio je P. P. Broka (1871/1877). *Mémoires d'anthropologie*. Pariz. isti dr Broka koji je otkrio Brokinu zonu. Formula glasi: otprilike 45 kilograma (žene) ili 50 kilograma (muškarci) za prvih 152 centimetra visine, plus dva kilograma za svaka 2,5 centimetra iznad toga. Da bi pokrio varijacije telesnog sastava, Broka je sugerisao da bi poželjna težina trebalo da bude u okviru 15 odsto od izračunatog broja.
2. Satter, E. (2007). Eating competence: Definition and evidence for the Satter eating competence model. *Journal of Nutrition Education and Behavior*, 39(5), S142–S153. doi: 10.1016/j.jneb.2007.01.006.

Petnaesto poglavlje: Zaključak

1. Popa, T. & Ladea, M. (2012). Nutrition and depression at the forefront of progress. *Journal of Medicine and Life*, 5(4), 414–419.
2. White, B., Horwath, C., & Conner, T. (2013). Many apples a day keep the blues away—daily experiences of negative and positive affect and food consumption in young adults. *British Journal of Health Psychology*, 18(4), 782.
3. Gomez-Pinilla, F., & Nguyen, T. T. J. (2012). Natural mood foods: The actions of polyphenols against psychiatric and cognitive disorders. *Nutritional Neuroscience*, 15(3), 127.

4. Mujcic, R., & Oswald, A. J. (2016). Evolution of well-being and happiness after increases in consumption of fruit and vegetables. *American Journal of Public Health, 106*(8), 1504–1510.
5. Chang, C., Ke, D., & Chen, J. (2009). Essential fatty acids and human brain. *Acta Neurologica Taiwanica, 18*(4), 231.
6. Simopoulos, A. P. (2002). The importance of the ratio of omega-6/omega-3 essential fatty acids. *Biomedicine & Pharmacotherapy, 56*(8), 365–379. doi: 10.1016/S0753-3322(02)00253-6.
7. Russo, G. L. (2009). Dietary n-6 and n-3 polyunsaturated fatty acids: From biochemistry to clinical implications in cardiovascular prevention. *Biochemical Pharmacology, 77*(6), 937–946. doi: 10.1016/j.bcp.2008.10.020.
8. Stangl, D., & Thuret, S. (2009). Impact of diet on adult hippocampal neurogenesis. *Genes and Nutrition, 4*(4), 271–282. doi: 10.1007/s12263-009-0134-5.
9. Baumeister, R., & Tierney, J. (2011). *Willpower: Rediscovering the greatest human strength*. New York: Penguin Press, 136.
10. Lowe, M. R., Kral, T. V. E., & Miller-Kovach, K. (2008). Weight-loss maintenance 1, 2 and 5 years after successful completion of a weightloss programme. *British Journal of Nutrition, 99*(4), 925–930. doi: 10.1017/S0007114507862416; Chaudhry, Z. W., Clark, J. M., Doshi, R. S., Gudzune, K. A., Jacobs, D. K., Mehta, A. K., et al. (2015). Efficacy of commercial weight-loss programs: An updated systematic review. *Annals of Internal Medicine, 162*(7), 501. doi: 10.7326/M14-2238.
11. Rock, C. L., Flatt, S. W., Sherwood, N. E., Karanja, N., Pakiz, B., & Thomson, C. A. (2010). Effect of a free prepared meal and incentivized weight loss program on weight loss and weight loss maintenance in obese and overweight women: A randomized controlled trial. *JAMA, 304*(16), 1803–1810. doi: 10.1001/jama.2010.1503.